

Please use black ink.
Send original copy by
certified mail to the
Texas Water Commission
P.O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Don Gladden Address P.O. Box 50686 Ft. Worth, Texas
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL: Tarrant 5 miles in North direction from Ft. Worth
County (N.E., S.W., etc.) (Town)

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ Legal description:

Section No. _____ Block No. _____ Township _____

Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ See attached map.

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ Other _____

5) DRILLING METHOD (Check):

☐ Driven
☐ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☒ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling: 1/6/ 1989
Started 1/10/ 1989
Completed _____

DIAMETER OF HOLE
Dia. (in.) From (ft.) To (ft.)

7 7/8	Surface	360

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other _____

If Gravel Packed give interval ... from 360 ft. to 35 ft.

From (ft.)	To (ft.)	Description and color of formation material
0	1	Black dirt
1	7	Rock
7	11	Cliche
11	57	Rock & cliche
57	68	Lime
68	103	Gray shale
103	110	Gray shale & lime
110	124	Lime
124	133	Gray shale
133	139	Lime
139	149	Gray shale
149	160	Lime
160	171	Lime
171	187	Gray shale & lime
187	219	Sand
219	224	Green shale
224	238	Gray & red shale
238	251	Sand & brown shale
251	253	Sand
253	267	Lime & sand streaks
267	278	Gray shale
278	310	Sand & green shale
310	321	Sand
321	340	Sandy green shale
340	354	Sandy green shale
354	357	Gray shale
357	360	Lime

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	PVC	360'	1' above GL	
		Slotted 350' 325'			

9) CEMENTING DATA [Rule 319.44(b)]

Cemented from 35' ft. to Surface ft. No. of Sacks Used 8
_____ ft. to _____ ft. No. of Sacks Used _____

Method used Pressure cemented

Cemented by Watts Drilling Co.

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:

Static level 240 ft. below land surface Date 1/9/89
Artesian flow _____ gpm. Date _____

12) PACKERS: Type Depth

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____

Depth to pump bowls, cylinder, jet, etc., 315 ft.

15) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No

If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☒ No

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☒ Estimated
Yield: 40 gpm with - ft. drawdown after 4 hrs.

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Watts Drilling Co. Water Well Driller's License No. 2457
(Type or Print)

ADDRESS St. 5, Box 265-W Ft. Worth, Texas 76126
(Street or RFD) (City) (State) (Zip)

(Signed) Tim Watts (Licensed Water Well Driller) (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only
Well No. 32-13-6
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.



GENERAL HIGHWAY MAP

prepared by the
STATE DEPARTMENT OF HIGHWAYS
AND PUBLIC TRANSPORTATION
TRANSPORTATION PLANNING DIVISION
IN COOPERATION WITH THE
U. S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

1976

1	2	3	4
5	6	7	8
9	10	11	12

[illegible]

Please use black ink.
Send original copy by
certified mail to the
Texas Department of Water Resources
P. O. Box 13087
Austin, Texas 78711

State of Texas
WATER WELL REPORT

Texas Water Well Drillers Board
P. O. Box 13087
Austin, Texas 78711

ATTENTION OWNER: Confidentiality Privilege Notice on Reverse Side

1) OWNER Paul Kalman Address Lake worth TX

2) LOCATION OF WELL: County _____ miles in _____ direction from _____

Driller must complete the legal description to the right with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

Legal description:
Section No. _____ Block No. _____ Township _____
Abstract No. _____ Survey Name _____
Distance and direction from two intersecting section or survey lines _____

See attached map. 32-12-3

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic ☐ Industrial ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Other _____

5) DRILLING METHOD (Check):
☐ Mud Rotary ☐ Air Hammer ☐ Driven ☐ Bored
☒ Air Rotary ☐ Cable Tool ☐ Jetted ☐ Other _____

6) WELL LOG:

From (ft.)	To (ft.)	Description and color of formation material	DIAMETER OF HOLE		
			Dia. (in.)	From (ft.)	To (ft.)
		0-4 TOP soil	8"	Surface	
		4-10 yellow clay		0	400
		10-20 shale			
		20-260 limestone & shale			
		260-270 red bed			
		270-335 sand			
		335-350 shale			
		350-390 sand			
		390-400 shale			

7) BOREHOLE COMPLETION:

☐ Open Hole ☐ Straight Wall ☐ Underreamed
☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval ... from 350 ft. to 400 ft.

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
4	N	4" SCH 40 PVC	1 Above	400	
		Black	350		
		Slotted	50		1040

9) CEMENTING DATA [Rule 319.44(b)]
Cemented from 0 ft. to 50 ft.
350 ft. to 350 ft.
Method used gravity
Cemented by Kelvin Miles

10) SURFACE COMPLETION
☐ Specified Surface Slab Installed [Rule 319.44(c)]
☐ Pitless Adapter Used [Rule 319.44(d)]
☒ Approved Alternative Procedure Used [Rule 319.71]

11) WATER LEVEL:
Static level 320 ft. below land surface Date 9-28-85
Artesian flow _____ gpm. Date _____

12) PACKERS: Type _____ Depth _____

13) TYPE PUMP:
☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder
☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:
Type Test: ☐ Pump ☐ Bailer ☒ Jetted ☐ Estimated
Yield: 20 gpm with 20 ft. drawdown after 3 hrs.

15) WATER QUALITY:
Did you knowingly penetrate any strata which contained undesirable water? ☐ Yes ☒ No
If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____
Was a chemical analysis made? ☐ Yes ☒ No

I here by certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete items 1 thru 12 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME KELVIN MILES DRILLING Water Well Driller's License No. 1931

ADDRESS WSR Box 1AAA Springtown Tx 76082

(Signed) Kelvin Miles (Signed) _____ (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TDWR use only
Well No. 32-12-3
Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Department of Water Resources are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the department, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a department copy, shall include the name, mailing address, and telephone number of the Board and the department. The well log required herein shall at the request in writing to the department, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by
certified mail to the
Texas Water Development Board
P. O. Box 12386
Austin, Texas 78711

State of Texas

WATER WELL REPORT

For TWDB use only
Well No. 32-13-68
Located on map 42-3
Received: 23
dk

1) OWNER:

Person having well drilled D. R. Gibson Address 5501 Cowden St. Sansom Texas
(Name) (Street or RFD) (City) (State)
Landowner D. R. Gibson Address 5501 Cowden St. Sansom Texas
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:

County Tarrant, _____ miles in _____ direction from Sansom Park
(N.E., S.W., etc.) (Town)

Locate by sketch map showing landmarks, roads, creeks,
hiway number, etc.*

or Give legal location with distances and directions from
adjacent sections or survey lines.


Labor _____ League _____

Block _____ Survey _____

Abstract No. _____

(NW $\frac{1}{4}$ NE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$) of Section _____

(Use reverse side if necessary)



3) TYPE OF WORK (Check):

☒ New Well
☐ Deepening
☐ Reconditioning
☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic
☐ Industrial
☐ Municipal
☐ Irrigation
☐ Test Well
☐ Other

5) TYPE OF WELL (Check):

☒ Rotary
☐ Driven
☐ Dug
☐ Cable
☐ Jetted
☐ Bored

6) WELL LOG:

Diameter of hole 6 1/4 in. Depth drilled 409 ft. Depth of completed well 409 ft. Date drilled 8-7-72

All measurements made from _____ ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-4	Top Soil	280-310 Sand
4-22	Yellow Clay	310-320 Sandv Shale
22-68	Blue Shale	320-347 Sand
68-80	Bl. Shl. w/lm Stks.	347-360 Shaley Sand
80-128	Sft. Shl.	360-390 Sand
128-170	Lime	390-392 Lime
170-198	Br ken Lime	392-409 Sandy Shale
198-210	Shale	
210-242	Lime W/Yellow Clay	
242-253	Sand	
253-280	Sand & Shale	

(Use reverse side if necessary)

7) COMPLETION (Check):

Straight wall
Gravel packed
Other
Under reamed
Open Hole

8) WATER LEVEL:

Static level 320 ft. below land surface Date 8-10-72
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 380 ft.
below land surface.

9) Casing:

Type: Old ☒ New ☒ Steel Plastic Other
Cemented from 370 ft. to 0 ft.

Diameter Setting
(inches) From (ft.) To (ft.) Gage

4 0 409

10) SCREEN:

Type _____
Perforated ☒ Slotted

Diameter Setting Slot
(inches) From (ft.) To (ft.) Size

4 370 409 Torch

11) WELL TESTS:

Was a pump test made? ☒ Yes No If yes, by whom?
Driller

Yield: 10 gpm with 0 ft. drawdown after 2 hrs.

Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.

Artesian flow _____ gpm

Temperature of water _____

12) WATER QUALITY:

Was a chemical analysis made? Yes ☒ No

Did any strata contain undesirable water? Yes ☒ No

Type of water? Pauly depth of strata 80

I hereby certify that this well was drilled by me (or under my supervision) and that
each and all of the statements herein are true to the best of my knowledge and belief.

NAME J. T. Green Water Well Drillers Registration No. 1395
(Type or Print)

ADDRESS Rt. 1 # 230 Springtown Texas
(Street or RFD) (City) (State)

(Signed) J. T. Green J. T. Green Drllg
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
FEB 25 1973
Control Records
Texas Water Development Board

TEXAS WATER
DEVELOPMENT BOARD

DEC 18 1972

RECEIVED

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having water wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 30 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

Send original copy by certified mail to the Texas Water Development Board
P. O. Box 13087
Austin, Texas 78711

State of Texas

For TWDB use only
Well No. 32-13-6C
Located on map yes
Received: 76
all

WATER WELL REPORT

1) OWNER:
Person having well drilled B. A. Yoakum Address Rt. 10, Box 628 A
(Name) (Street or RFD) (City) (State)
Landowner Address
(Name) (Street or RFD) (City) (State)

2) LOCATION OF WELL:
County Tarrant, 10 miles in N.W. direction from Ft. Worth
(N.E., S.W., etc.) (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.*
Give legal location with distances and directions from adjacent sections or survey lines.
Labor League
Block Survey
Abstract No.
(NW¼ NE¼ SW¼ SE¼) of Section

(Use reverse side if necessary)

3) TYPE OF WORK (Check):
New Well X Deepening
Reconditioning Plugging

4) PROPOSED USE (Check):
Domestic X Industrial Municipal
Irrigation Test Well Other

5) TYPE OF WELL (Check):
Rotary X Driven Dug
Cable Jetted Bored

6) WELL LOG:
Diameter of hole 7 7/8" in. Depth drilled 80 ft. Depth of completed well 80 ft. Date drilled 4-29-76
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0	3	Top soil
3	15	Sandy clay
15	30	Sand
30	40	Clay & Sand
40	60	Sand
60	80	Sand & shale

Diameter (inches)	Setting From (ft.)	To (ft.)	Gage
4 1/2"	80	1" above	

Diameter (inches)	Setting From (ft.)	To (ft.)	Slot Size
-------------------	--------------------	----------	-----------

(Use reverse side if necessary)

7) COMPLETION (Check):
Straight wall Gravel packed X Other
Under reamed Open Hole

8) WATER LEVEL:
Static level 25 ft. below land surface Date 4-29-76
Artesian pressure lbs. per square inch Date
Depth to pump bowls, cylinder, jet, etc., 63 ft. below land surface.
1" pipe
1/2 HP FBM

9) CASING:
Type: Old New X Steel Plastic X Other
Cemented from ft. to ft.
10) SCREEN:
Type
Perforated Slotted
11) WELL TESTS:
Was a pump test made? Yes No X If yes, by whom?
Yield: gpm with ft. drawdown after hrs.
Bailer test gpm with ft. drawdown after hrs.
Artesian flow gpm
Temperature of water
12) WATER QUALITY:
Was a chemical analysis made? Yes No X
Did any strata contain undesirable water? Yes No.
Type of water? depth of strata

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME Alfred T. Watts Water Well Drillers Registration No. 268
(Type or Print)

ADDRESS Rt. 5, Box 265 W Ft. Worth, Texas 76126
(Street or RFD) (City) (State)

(Signed) [Signature] Watts Drilling Co.
(Water Well Driller) (Company Name)

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

TWDBE-WD-8

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-CW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

Maple	0	0
Apple	0	0
Orange	0	0
Peach	0	0
Cherry	0	0
Plum	0	0
Almond	0	0
Pistachio	0	0

RECEIVED
APR 14 1976

Central Records
Texas Water Development Board

RECEIVED
SEP - 3 1976
TEXAS WATER
DEVELOPMENT BOARD

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512) 463-7880 FAX (512) 463-8616
Toll free (800) 803-9202
Email address: water.well@license.state.tx.us

A. WELL IDENTIFICATION AND LOCATION DATA

Form provided by Forms On-A-Disk, Inc. • Dallas, Texas • (214) 340-9429

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Mr. Minter ADDRESS 702 Roberts Cutoff, River Oaks, TX.
(Name) (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: 702 Roberts Cutoff, River Oaks, TX. Long. _____ Lat. _____
County Tarrant (Street, RFD or other) (City) (State) (Zip) Grid # 32-13-6

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

(4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic
☐ Industrial ☒ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:

Date Drilling:

Started 8-31 19 98Completed 8-31 19 98

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>7 7/8</u>	Surface	<u>205</u>

7) DRILLING METHOD (Check):

☒ Air Rotary ☐ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other _____

X

↑

From (ft.)	To (ft.)	Description and color of formation material
<u>0</u>	<u>1</u>	<u>Top soil</u>
<u>3</u>	<u>22</u>	<u>Sand + gravel</u>
<u>22</u>	<u>105</u>	<u>green shale + rock</u>
<u>105</u>	<u>135</u>	<u>dry sand</u>
<u>135</u>	<u>155</u>	<u>green shale</u>
<u>155</u>	<u>191</u>	<u>sand</u>
<u>191</u>	<u>205</u>	<u>green shale</u>

8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall

☐ Underreamed ☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval from 145 ft. to 205 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
			From	To	
<u>4</u>	<u>N</u>	<u>Sch. 40 PVC</u>	<u>1 1/2 above</u>	<u>205</u>	
		<u>Blank</u>	<u>1 1/2 above</u>	<u>155</u>	
		<u>slotted</u>	<u>155</u>	<u>205</u>	<u>2040</u>

(Use reverse side of Well Owner's copy, if necessary)

9) CEMENTING DATA

Cemented from 0 ft. to 145 ft. No. of sacks used 21
ft. to _____ ft. No. of sacks used _____

Method used

Cemented by pumped
Kevin miles

Distance to septic system field lines or other concentrated contamination _____ ft.

Method of verification of above distance city sewer

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed
☒ Specified Steel Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) WATER LEVEL:

Static level 140 ft. below land surface Date 8-31-98

Artesian flow _____ gpm. Date _____

12) PACKERS:

Type _____ Depth _____

13) ☐ Well plugged within 48 hours

Casing left in well: _____ Cement/bentonite placed in well: _____ Sacks used: _____

From (ft.)	To (ft.)	From (ft.)	To (ft.)	Sacks used:

14) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder

☐ Other _____
Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☐ Jetted ☒ EstimatedYield: 15 gpm with 10 ft. drawdown after 1 hrs.

16) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☒ No

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Kevin miles Drilling2022 E Hwy 190 (print)ADDRESS P.O. Box 1628

(Street or RFD)

(Signed) K.C. miles

(Licensed Well Driller)

WELL DRILLER'S LICENSE NO. 193Springtown, TX(City) NOV 13 1998

(Signed)

COMMENT

(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential. b6 b7C b7D

From (ft.)	To (ft.)	Description and color of formation material
10.0	10.5	Light gray, silty clay
10.5	11.0	Light gray, silty clay
11.0	11.5	Light gray, silty clay
11.5	12.0	Light gray, silty clay
12.0	12.5	Light gray, silty clay
12.5	13.0	Light gray, silty clay
13.0	13.5	Light gray, silty clay
13.5	14.0	Light gray, silty clay
14.0	14.5	Light gray, silty clay
14.5	15.0	Light gray, silty clay
15.0	15.5	Light gray, silty clay
15.5	16.0	Light gray, silty clay
16.0	16.5	Light gray, silty clay
16.5	17.0	Light gray, silty clay
17.0	17.5	Light gray, silty clay
17.5	18.0	Light gray, silty clay
18.0	18.5	Light gray, silty clay
18.5	19.0	Light gray, silty clay
19.0	19.5	Light gray, silty clay
19.5	20.0	Light gray, silty clay
20.0	20.5	Light gray, silty clay
20.5	21.0	Light gray, silty clay
21.0	21.5	Light gray, silty clay
21.5	22.0	Light gray, silty clay
22.0	22.5	Light gray, silty clay
22.5	23.0	Light gray, silty clay
23.0	23.5	Light gray, silty clay
23.5	24.0	Light gray, silty clay
24.0	24.5	Light gray, silty clay
24.5	25.0	Light gray, silty clay
25.0	25.5	Light gray, silty clay
25.5	26.0	Light gray, silty clay
26.0	26.5	Light gray, silty clay
26.5	27.0	Light gray, silty clay
27.0	27.5	Light gray, silty clay
27.5	28.0	Light gray, silty clay
28.0	28.5	Light gray, silty clay
28.5	29.0	Light gray, silty clay
29.0	29.5	Light gray, silty clay
29.5	30.0	Light gray, silty clay
30.0	30.5	Light gray, silty clay
30.5	31.0	Light gray, silty clay
31.0	31.5	Light gray, silty clay
31.5	32.0	Light gray, silty clay
32.0	32.5	Light gray, silty clay
32.5	33.0	Light gray, silty clay
33.0	33.5	Light gray, silty clay
33.5	34.0	Light gray, silty clay
34.0	34.5	Light gray, silty clay
34.5	35.0	Light gray, silty clay
35.0	35.5	Light gray, silty clay
35.5	36.0	Light gray, silty clay
36.0	36.5	Light gray, silty clay
36.5	37.0	Light gray, silty clay
37.0	37.5	Light gray, silty clay
37.5	38.0	Light gray, silty clay
38.0	38.5	Light gray, silty clay
38.5	39.0	Light gray, silty clay
39.0	39.5	Light gray, silty clay
39.5	40.0	Light gray, silty clay
40.0	40.5	Light gray, silty clay
40.5	41.0	Light gray, silty clay
41.0	41.5	Light gray, silty clay
41.5	42.0	Light gray, silty clay
42.0	42.5	Light gray, silty clay
42.5	43.0	Light gray, silty clay
43.0	43.5	Light gray, silty clay
43.5	44.0	Light gray, silty clay
44.0	44.5	Light gray, silty clay
44.5	45.0	Light gray, silty clay
45.0	45.5	Light gray, silty clay
45.5	46.0	Light gray, silty clay
46.0	46.5	Light gray, silty clay
46.5	47.0	Light gray, silty clay
47.0	47.5	Light gray, silty clay
47.5	48.0	Light gray, silty clay
48.0	48.5	Light gray, silty clay
48.5	49.0	Light gray, silty clay
49.0	49.5	Light gray, silty clay
49.5	50.0	Light gray, silty clay
50.0	50.5	Light gray, silty clay
50.5	51.0	Light gray, silty clay
51.0	51.5	Light gray, silty clay
51.5	52.0	Light gray, silty clay
52.0	52.5	Light gray, silty clay
52.5	53.0	Light gray, silty clay
53.0	53.5	Light gray, silty clay
53.5	54.0	Light gray, silty clay
54.0	54.5	Light gray, silty clay
54.5	55.0	Light gray, silty clay
55.0	55.5	Light gray, silty clay
55.5	56.0	Light gray, silty clay
56.0	56.5	Light gray, silty clay
56.5	57.0	Light gray, silty clay
57.0	57.5	Light gray, silty clay
57.5	58.0	Light gray, silty clay
58.0	58.5	Light gray, silty clay
58.5	59.0	Light gray, silty clay
59.0	59.5	Light gray, silty clay
59.5	60.0	Light gray, silty clay
60.0	60.5	Light gray, silty clay
60.5	61.0	Light gray, silty clay
61.0	61.5	Light gray, silty clay
61.5	62.0	Light

ATTENTION OWNER: Confidentiality
Privilege Notice on reverse side
of Well Owner's copy (pink)

State of Texas WELL REPORT

Texas Department of Licensing &
Regulation
P.O. Box 12157
Austin, TX 78711
512-463-7880

1) OWNER Leslie Trammell ADDRESS 309 Merritt River Oaks, TX.
(Name) (Street or RFD) (City) (State) (Zip)
2) ADDRESS OF WELL'S LOCATION: 309 Merritt, River Oaks, TX. Long. _____ Lat. _____
County Tarrant (Street, RFD or other) (City) (State) (Zip) Grid # 32-13-6

3) TYPE OF WORK (Check):
☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check): ☐ Monitor ☐ Environmental Soil Boring ☐ Domestic
☐ Industrial ☒ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
If Public Supply well, were plans submitted to the TNRCC? ☐ Yes ☐ No

5)

6) WELL LOG:

Date Drilling:

Started 9-1 1998Completed 9-1 1998

DIAMETER OF HOLE

Dia. (in.) From (ft.) To (ft.)

7 7/8 Surface 2057) DRILLING METHOD (Check): ☐ Driven☒ Air Rotary ☐ Mud Rotary ☐ Bored☐ Air Hammer ☐ Cable Tool ☐ Jetted☐ Other _____

X

↑

From (ft.) To (ft.) Description and color of formation material

0	3	topsoil
3	10	red clay
10	15	yellow clay
15	45	dry sand
45	130	grey shale + rock
130	159	green shale
159	200	sand
200	205	green shale

(Use reverse side of Well Owner's copy, if necessary)

13) ☐ Well plugged within 48 hours

Casing left in well:		Cement/bentonite placed in well:		Sacks used:
From (ft.)	To (ft.)	From (ft.)	To (ft.)	

14) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder☐ Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

15) WELL TESTS:

Type test: ☐ Pump ☐ Bailer ☐ Jetted ☒ EstimatedYield: 12 gpm with 13 ft. drawdown after 1 hrs.

16) WATER QUALITY:

Did you knowingly penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"

Type of water? _____ Depth of strata _____

Was a chemical analysis made? ☐ Yes ☒ No8) Borehole Completion (Check): ☐ Open Hole ☐ Straight Wall☐ Underreamed ☒ Gravel Packed ☐ Other _____
If Gravel Packed give interval from 145 ft. to 205 ft.

CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N.	Sch. 40 PVC	145	205	
		Blank	145	159	
		slotted	159	205	.040

9) CEMENTING DATA

Cemented from 0 ft. to 145 ft. No. of sacks used 21
_____ ft. to _____ ft. No. of sacks used _____Method used PumpedCemented by Kevin Miles

Distance to septic system field lines or other concentrated contamination _____ ft.

Method of verification of above distance not yet installed

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed☒ Specified Steel Sleeve Installed☐ Pitless Adapter Used☐ Approved Alternative Procedure Used

11) WATER LEVEL:

Static level 105 ft. below land surface Date 9-1-98

Artesian flow _____ gpm. Date _____

12) PACKERS:

Type

Depth

I certify that I drilled this well (or the well was drilled under my direct supervision) and that each and all of the statements herein are true and correct. I understand that failure to complete items 1 thru 16 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Kevin Miles DrillingWELL DRILLER'S LICENSE NO. 193 SEQ # _____ADDRESS P.O. Box 1628(City) Springtown (State) TX (Zip) 76082(Signed) K.C. Miles

(Signed) _____

Licensed Well Driller

(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

Section 32.005 of the Texas Water Code, concerning confidential information in the Reporting of Well

"Every licensed driller drilling, deepening or otherwise altering a water well within this State shall make and keep a legible and accurate well log in accordance with the department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department and to the owner of the well or the person for whom the well was drilled. Each copy of a well log, other than a department copy must include the name, mailing address, and telephone number of the department. The well log shall be recorded at the time of drilling, and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or person for whom the well was drilled."

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

Attention Owner:
Confidentiality Privilege Notice
on reverse side of owner's copy.

Texas Department of License and Regulation
Water Well Driller/Pump Installer Program
P.O. Box 12157 Austin, Texas 78711 (512)463-7880 FAX (512)463-8616
Toll free (800)803-9202

This form must be completed
and filed with the department
and owner within 60 days
upon completion of the well.

Email address: water.well@license.state.tx.us

CATTLEBOON PARKWAY

WELL REPORT

A. WELL IDENTIFICATION AND LOCATION DATA

1) OWNER

Name GLENDON HOMES	Address 136 KING RANCH CR,	City TX	State TX	Zip
------------------------------	--------------------------------------	-------------------	--------------------	----------------

2) WELL LOCATION

County TARRANT	Physical Address 	City 	State TX	Zip
--------------------------	-----------------------------	-----------------	--------------------	----------------

3) Type of Work

- ☒ New Well ☐ Reconditioning
☐ Replacement ☐ Deepening

Lat.

Long.

Grid # **32-13-6**

- 4) Proposed Use (check) ☐ Monitor ☐ Environmental Soil Boring ☒ Domestic
☐ Industrial ☐ Irrigation ☐ Injection ☐ Public Supply ☐ De-watering ☐ Testwell
☐ Rig Supply If Public Supply well, were plans submitted? ☐ Yes ☐ No

5) **NT**

well

6) Drilling Date

Started **3/8/02**
Completed **3/8/02**

Diameter of Hole

Dia.(in)	From (ft)	To (ft)
7"	0	200

7) Drilling Method (check)

- ☒ Air Rotary ☐ Mud Rotary ☐ Bored
☐ Air Hammer ☐ Cable Tool ☐ Jetted
☐ Other

From (ft) To (ft) Description and color of formation material

0-2 TOP SOIL
2-10 SAND + ROCK
10-60 SAND
50-60 - H₂O
120-170 - sand
150-170 H₂O
170-200 ROCK + SHALE

8) Borehole Completion ☐ Open Hole ☐ Straight Wall ☐ Under-reamed ☒ Gravel Packed ☐ Other

If Gravel Packed give the interval from ft. to ft.

Casing, Blank Pipe, and Well Screen Data

Dia. (in.)	New Or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft)		Gage Casing Screen
			From	To	
4"	PLC	SCHED 40	0	200	020
with 4" sched 40 screen					
on bottom with 020 slots					

(Use reverse side of Well Owner's copy, If necessary)

13) Plugged

☐ Well plugged within 48 hours

Casing left in well: Cement/Bentonite placed in well:

From (ft)	To (ft)	From (ft)	To (ft)	Sacks used

14) Type Pump

- ☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other

Depth to pump bowls, cylinder, jet etc., ft.

15) Water Test

Test type ☐ Pump ☐ Bailer ☐ Jetted ☐ Estimated
Yield: gpm with ft. drawdown after hrs.

16) Water Quality

Did you knowingly penetrate a strata which contain undesirable constituents.

☐ YES ☒ NO If yes, did you submit a REPORT OF UNDESIRABLE WATER

Type of water Depth of Strata

Was a chemical analysis made ☐ Yes ☒ No

9) Cementing Data

Cementing from ft. to ft. # of sacks used
ft. to ft. # of sacks used

Method Used

Cementing By

Distance to septic system field or other concentrated contamination ft.

Method of verification of above distance

10) Surface Completion

- ☐ Specified Surface Slab Installed
☒ Specified Surface Sleeve Installed
☐ Pitless Adapter Used
☐ Approved Alternative Procedure Used

11) Water Level

Static level ft. below Date / /
Artesian Flow gpm. Date / /

12) Packers

RECEIVED
TECHNICAL ROOM DEPT GB
MAY 27 2002
RECEIPT #
Lic. No. 54596-H

Company or individual's Name (type or print)

MORROW DRILLING INC

Address **324 SOUTH SAGINAW BLVD,**

City **SAGINAW**

State **TX**

Zip **76179**

Signature **James H. Morrow**
Licensed Driller/Pump Installer

Date **3/8/02**

Signature

Apprentice

**IMPORTANT NOTICE FOR PERSONS
HAVING WELL DRILLED CONCERNING
CONFIDENTIALITY**

Section 32.005 of the Texas Water Code, concerning confidentiality information in the Reporting of Well Reports, reads as follows:

Every licensed driller drilling, deepening, or otherwise altering a water well in this state shall make and keep a legible and accurate well log in accordance with department rule on forms prescribed by the department. Not later than the 60th day after the completion or cessation of drilling, deepening, or otherwise altering the well, the licensed driller shall deliver or transmit by certified mail a copy of the well log to the department, the Texas Natural Resource Conservation Commission, and the owner of the well or the person for whom the well was drilled. The well log shall be recorded at the time of drilling and must show the depth, thickness, and character of the strata penetrated, the location of water-bearing strata, the depth, size, and character of casing installed, and any other information required by department rule. The department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner or the person for whom the well was drilled.

The last sentence specifies the means whereby you may, if you wish, assure that logs of your wells will be kept confidential.

[illegible]